References

E-31

- 1. Vig S, Dowsett C, Berg L, et al. Evidence-based recommendations for the use of negative pressure wound therapy in chronic wounds: Steps towards an international consensus. *J Tissue*
- 2. *Viability*. 2011;20(1):S1-18.
- 3. Armstrong D, Marston W, Reyzelman A, et al. Comparative effectiveness of mechanically and electrically powered negative pressure wound therapy devices: A multicenter randomized controlled trial. *Wound Repair Regen.* 2012;20(3):332-41.
- 4. Dumville J, Munson C. Negative pressure wound therapy for partial-thickness burns. *Cochrane Database Syst Rev.* 2012;12:CD006215.
- 5. Gestring M. Negative pressure wound therapy. *UpToDate*. 2014.
- 6. European Wound Management Association (2007). Topical negative pressure in wound management. 2014.
- Guy H, Grothier G. Using negative pressure therapy in wound healing. *Nursing Times*. 2012; 108(36):16-20.
- 8. Rock R. Guidelines for safe negative-pressure wound therapy. *Wound Care Advisor*. 2014; 3(2):29-33.
- 9. Sullivan N, Snyder D, Tipton K, et al. Negative pressure wound therapy devices technology assessment report. Agency for Healthcare Research and Quality (AHRQ) Technology Assessment Program. 2009.
- 10. Food and Drug Administration (FDA) Safety Communications. Negative pressure wound therapy: Use with care. 2012.
- 11. Teot L, Guillot-Masanovic M, Miquel P, et al. Clinical impact of negative-pressure wound therapy: A 1,126-patient observational prospective study. *Wound repair and regeneration*.2014;22(3):341-350.
- 12. Bertelsen C, Fabricius R, Kleif J, et al. Outcome of negative-pressure wound therapy for open abdomen treatment after nontraumatic lower gastrointestinal surgery: Analysis of factors affecting delayed fascial closure in 101 patients. *World J Surg*.2014;38(4):774-781.
- 13. Marston W, Armstrong D, Reyzelman A, et al. A multicenter randomized controlled trial comparing treatment of venous leg ulcers using mechanically versus electrically powered negative pressure wound therapy. *Advances in Wound Care*. 2015;4(2):75-82.
- 14. Dumville J, Land L, Evans D, Peinemann F. Negative pressure wound therapy for treating leg ulcers. *Cochrane Database System Review*. 2015;(7):CD011354.
- 15. Hayes, Inc. Hayes Medical Technology Directory Report. *Negative pressure wound therapy for chronic wounds: home use.* Lansdale, PA: Hayes, Inc.; December, 2016.
- 16. Mattox, E. Reducing risks associated with negative-pressure wound therapy: strategies for clinical practice. *Critical Care Nurse*. 2017;37(5)67-77.

standard wound management on 12-month disability among adults with severe open fracture of the lower limb: the WOLLF randomized trail. *JAMA*. 2018;319(22):2280-2288.

17. Costa M, Achten J, Bruce J, Tutton E, et al. Effect of negative pressure wound therapy vs