

References

L-148

1. Fleeman N, Martin Saborido C, Payne K, et al. The clinical effectiveness and cost-effectiveness of genotyping for CYP2D6 for the management of women with breast cancer treated with tamoxifen: a systematic review. *Health Technol Assess*. 2011 Sep;15(33):1-102.
2. Tetrabenazine (Xenazine®) prescribing Information. Recipharm Fontaine SAS. Revised June 2015.
3. Eliglustat (Cerdelga®) prescribing Information. Genzyme Corporation. Revised August 2014.
4. Deutetrabenazine (Austedo™) Prescribing Information. Teva Pharmaceuticals USA, Inc. Issued April 2017.
5. Schroth W, Antoniadou L, Fritz P, et al. Breast cancer treatment outcome with adjuvant tamoxifen relative to patient CYP2D6 and CYP2C19 genotypes. *J Clin Oncol*. 2007;25(33):5187-93.
6. Goetz MP, Knox SK, Suman VJ, et al. The impact of cytochrome P450 2D6 metabolism in women receiving adjuvant tamoxifen. *Breast Cancer Res Treat*. 2007;101:113-21.
7. Newman WG, Hadfield KD, Latif A, et al. Impaired tamoxifen metabolism reduces survival in familial breast cancer patients. *Clin Cancer Res*. 2008;14(18):5913-8.
8. National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology: Breast Cancer, Version 2.2016.
9. Visvanathan K, Lippman SM, Hurley P, Temin S. American Society of Clinical Oncology clinical practice guideline update on the use of pharmacologic interventions including tamoxifen, raloxifene, and aromatase inhibition for breast cancer risk reduction. *Gynecol Oncol*. 2009;115(1):132-4.
10. Zhou S. Polymorphism of human CYP450 2D6 and its clinical significance: *Part I*. *Clin Pharmacokinet*. 2009;48(11):689-723.
11. Higgins MC, Rae JM, Flockhart DA, et al. Pharmacogenetics of tamoxifen: who should undergo CYP2D6 genetic testing? *J NCCN*. 2009;7(2):203-13.
12. FDA. Table of valid genomic biomarkers in the context of approved drug labels.
13. Regan MM, Leyland-Jones B, Bouzyk M, et al.; Breast International Group (BIG) 1-98 Collaborative Group. CYP2D6 genotype and tamoxifen response in postmenopausal women with endocrine-responsive breast cancer: the breast international group 1-98 trial. *J Natl Cancer Inst*. 2012 Mar 21;104(6):441-51.
14. Rae JM, Drury S, Hayes DF, et al.; ATAC trialists. CYP2D6 and UGT2B7 genotype and risk of recurrence in tamoxifen-treated breast cancer patients. *J Natl Cancer Inst*. 2012 Mar 21;104(6):452-60.