

References

L-236

1. Moise KJ, Boring NH, O'Shaughnessy R, Simpson LL, Wolfe HM, Baxter JK, McLennan G. Circulating cell free fetal DNA for the detection - of RHD status and sex using reflex fetal identifiers. *Prenatal Diagnosis*. 2013;1:95-101.
2. Bombard AT, Akolekar R, Farkas DH, VanAgthmael AL, Aquino F, Oeth P, Nicolaides KH. Fetal RHD genotype detection from circulating cell-free fetal DNA in maternal plasma in non-sensitized RhD negative women. *Prenatal Diagnosis*. 2011;8:802-808.
3. American Congress of Obstetrics and Gynecology (ACOG). ACOG Practice Bulletin No. 75: Management of alloimmunization during pregnancy. Clinical Management Guidelines for Obstetrician-Gynecologists. 2006;2:457-464.
4. Sequenom (2017). SensiGene® Fetal RHD Genotyping Blood Test.
5. Tynan JA, Angkachatchai V, Ehrich M, Paladino T, van den Boom D, Oeth P. Multiplexed analysis of circulating cell-free fetal nucleic acids for noninvasive prenatal diagnostic RHD testing. *American Journal of Obstetrics and Gynecology*. 2011;3:251.e1-e6.
6. Chitty LS, Finning K, Wade A, Soothill P, Martin B, Oxenford K, Massey E. Diagnostic accuracy of routine antenatal determination of fetal RHD status across gestation: Population based cohort study. *BMJ*. 2014;349:g5243.
7. Moise KJ, Gandhi M, Boring NH, O'Shaughnessy R, Simpson, LL, Wolfe HM, Skupski DW. Circulating cell-free DNA to determine the fetal RhD status in all three trimesters of pregnancy. *Obstetrics & Gynecology*. 2016;6:1340-1346.
8. Mackie FL, Hemming K, Allen S, Morris RK, Kilby MD. The accuracy of cell-free fetal DNA-based non-invasive prenatal testing in singleton pregnancies: A systematic review and bivariate meta-analysis. *BJOG: An International Journal of Obstetrics & Gynaecology*. 2017;1:32-46.