

## References

S-33

1. Landsman A, Cook J, Cook E, Garrett P, et al. A retrospective clinical study of 214 consecutive patients to examine the effectiveness of a biologically active cryopreserved human skin allograft (TheraSkin) on the treatment of diabetic foot ulcers and venous leg ulcers. *Foot Ankle Spec.* 2011 Feb;4(1):29-41.
2. DiDomenico L, Emch KJ, Landsman AR, et al. A prospective comparison of diabetic foot ulcers treated with either cryopreserved skin allograft or bioengineered skin substitute. *Wounds.* 2011;23(7):184-189.
3. Landsman AS, Cook J, Cook E, et al. A retrospective clinical study of 188 consecutive patients to examine the effectiveness of a biologically active cryopreserved human skin allograft (TheraSkin®) on the treatment of diabetic foot ulcers and venous leg ulcers. *Foot Ankle Spec.* 2011 Feb;4(1):29-41.
4. Liu AS, Kao HK, Reish RG, et al. Postoperative complications in prosthesis-based breast reconstruction using acellular dermal matrix. *Plast Reconstr Surg.* 2011; 127(5):1755-62.
5. Zhong T, Janis JE, Ahmad J, et al. Outcomes after abdominal wall reconstruction using acellular dermal matrix: a systematic review. *J Plast Reconstr Aesthet Surg.* 2011;64(12):1562-71.
6. Karr JC. Retrospective comparison of diabetic foot ulcer and venous stasis ulcer healing outcome between a dermal repair scaffold (PriMatrix) and a bilayered living cell therapy (Apligraf). *Adv Skin Wound Care.* 2011;24(3):119-25.
7. Centers for Medicare and Medicaid Services (CMS). Porcine skin and gradient pressure dressing. 270.5.
8. Crenshaw S, Roller M, Chapman J. Immediate breast reconstruction with a saline implant and AlloDerm, following removal of phyllodes tumor. *World J Surg Oncol.* 2011;9:34.
9. National Institute for Health and Clinical Excellence (NICE). Diabetic foot problems: Inpatient management of diabetic foot problems. 2011.
10. Weigert R, Choughri H, Casoli V. Management of severe hand wounds with Integra(R) dermal regeneration template. *J Hand Surg Eur Vol.* 2011;36(3):185-93.
11. Lazic T, Falanga V. Bioengineered skin constructs and their use in wound healing. *Plast Reconstr Surg.* 2011;127 Suppl 1:75S-90S.
12. Ho G, Nguyen TJ, Shahabi A, et al. A systematic review and meta-analysis of complications associated with acellular dermal matrix-assisted breast reconstruction. *Ann Plast Surg.* 2012;68(4):346-56.
13. Kim JY, Davila AA, Persing S, et al. A meta-analysis of human acellular dermis and submuscular tissue expander breast reconstruction. *Plast Reconstr Surg.* 2012; 129(1):28-41.
14. McCarthy CM, Lee CN, Halvorson EG, et al. The use of acellular dermal matrices in two-stage expander/implant reconstruction: a multicenter, blinded, randomized controlled trial. *Plast Reconstr Surg.* 2012;130(5 Suppl 2):57S-66S.
15. Athavale SM, Phillips S, Mangus B, et al. Complications of alloderm and dermamatrix for parotidectomy reconstruction. *Head Neck.* 2012;34(1):88-93.

16. Barber FA, Burns JP, Deutsch A, et al. A prospective, randomized evaluation of acellular human dermal matrix augmentation for arthroscopic rotator cuff repair. *Arthroscopy*. 2012;28(1):8-15.
17. Clare G, Suleman H, Bunce C, et al. Amniotic membrane transplantation for acute ocular burns. *Cochrane Database Syst Rev*. 2012; 9:CD009379.
18. Alexiadou K, Doupus J. Management of diabetic foot ulcers. *Diabetes Ther*. 2012;3(1):4.
19. Barber FA, Burns JP, Deutsch A, et al. A prospective, randomized evaluation of acellular human dermal matrix augmentation for arthroscopic rotator cuff repair. *Arthroscopy*. 2012;28(1):8-15.
20. Karr JC. Retrospective comparison of diabetic foot ulcer and venous stasis ulcer healing outcome between a dermal repair scaffold (PriMatrix) and a bilayered living cell therapy (Apligraf). *Adv Skin Wound Care*. 2011;24(3):119-25.
21. Kavros SJ. Acellular fetal bovine dermal matrix for treatment of chronic ulcerations of the midfoot associated with charcot neuroarthropathy. *Foot Ankle Spec*. 2012;5(4):230-4.
22. Lullove E. Acellular fetal bovine dermal matrix in the treatment of nonhealing wounds in patients with complex comorbidities. *J Am Podiatr Med Assoc*. 2012;102(3):233-9.
23. Strauss 2012. PriMatrix™ dermal repair scaffold in the treatment of difficult-to-heal complex wounds. *Wounds*. 2012;24(11):327-34.
24. Neill. Utilizing biologic assimilation of bovine fetal collagen in staged skin grafting. *Ann Plast Surg*. 2012;68(5):451-6.
25. Butterfield JL. Four hundred and forty consecutive implant-based single surgeon breast reconstruction in 281 Patients: a comparison of early outcomes and costs between SurgiMend fetal bovine and AlloDerm human cadaveric acellular dermal matrices. *Plast Reconstr Surg*. 2013;131:940.
26. Gaster RS, Berger AJ, Monica SD, et al. Histologic analysis of fetal bovine derived acellular dermal matrix in tissue expander breast reconstruction. *Ann Plast Surg*. 2013;70(4):1-7.
27. Endress R, Choi M, Lee GK. Use of fetal bovine acellular dermal xenograft with tissue expansion for staged breast reconstruction. *Ann Plast Surg*. 2012;68(4):338-41.
28. Onkuma RO, Buretta KJ, Rosson GD, et al. Initial experience with the use of fetal/neonatal bovine acellular dermal collagen matrix (SurgiMend) for tissue-expander breast reconstruction. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. 2013;1-7.
29. Koob TJ, Rennert R, Zabek N, et al. Biological properties of dehydrated human amnion/chorion composite graft: implications for chronic wound healing. *Int Wound J*. 2013;10(5):493-500.
30. Zelen CM, Poka A, Andrews J. Prospective, Randomized, Blinded, Comparative Study of Injectable Micronized Dehydrated Amniotic/Chorionic Membrane Allograft for Plantar Fasciitis A Feasibility Study. *Foot Ankle Int*. 2013 Oct;34(10):1332-9.
31. Zelen CM. An evaluation of dehydrated human amniotic membrane allografts in patients with DFUs. *J Wound Care*. 2013;22(7):347-348, 350.
32. Zelen CM, Serena TE, Denozieri G, et al. A prospective randomized comparative parallel study of amniotic membrane wound graft in the management of diabetic foot ulcers. *Int Wound J*. 2013;10(5):502-507.

33. Fetterolf DE, Snyder RJ. Scientific and Clinical Support for the Use of Dehydrated Amniotic Membrane in Wound Management. *Wounds*. 2012;24:299-307.
34. Stern M. The grafting of preserved amniotic membrane to burned and ulcerated surfaces, substituting skin grafts. *JAMA*. 2013;60:973.
35. Dietrich-Ntoukas T, Hofmann-Rummelt C, Kruse FE, et al. Comparative analysis of the basement membrane composition of the human limbus epithelium and amniotic membrane epithelium. *Cornea*. 2012;31(5):564-9.
36. Sheikh ES, Sheikh ES, Fetterolf DE. Use of dehydrated human amniotic membrane allografts to promote healing in patients with refractory non healing wounds. *Int Wound J*. 2013.
37. Centers for Medicare and Medicaid Services (CMS). Porcine skin and gradient pressure dressing. 270.5.
38. Centers for Medicare and Medicaid Services (CMS). CMS issues hospital outpatient department and ambulatory surgical center policy and payment changes for 2014.
39. Lee JH, Park KR, Kim TG. A Comparative Study of CG CryoDerm and AlloDerm in Direct-to-Implant Immediate Breast Reconstruction. *Arch Plast Surg*. 2013;40(4):374–379..
40. Colwell AS, Damjanovic B, Zahedi B, et al. Retrospective Review of 331 Consecutive Immediate Single-Stage Implant Reconstructions with Acellular Dermal Matrix: Indications, Complications, Trends and Costs. *Plast Reconstr Surg*. 2011;128:1170-1178.
41. Liu AS, Kao HK, Reish RG, et al. Postoperative Complications in Prosthesis-Based Breast Reconstruction Using AcellularDermal Matrix. *Plast Reconstr Surg*. 2011;127:1755-1762.
42. Weichman K, Wilson S, Weinstein A, et al. The Use of AcellularDermal Matrix in Immediate Two-Stage Tissue Expander Breast Reconstrucion. *Plast Reconstr Surg*. 2012;129:1049-58.
43. Glasberg SB, Light D. AlloDerm and Stratticein Breast Reconstruction: A Comparison and Techniques for Optimizing Outcomes. *Plast Reconstr Surg*. 2012;129:1223-1233.
44. Spear S, SeruyaM, Rao S, et al. Two-Stage Prosthetic Breast Reconstruction Using AlloDerm Including Outcomes of Different Timings of Radiotherapy. *Plast Reconstr Surg*. 2012;130:1-9.
45. Venturi ML, Mesbahi AN, Boehmler JH, et al. Evaluating Sterile Human Acellular Dermal Matrix in Immediate Expander-Based Breast Reconstruction: A Multi-centered Prospective Cohort Study. *Plastic Reconstr Surg*. 2013;131(3):669.
46. Diaz DF, Roth JS. Laparoscopic paraesophageal hernia repair with acellular dermal matrix cruroplasty. *Journal of the Society of Laparoendoscopic Surgeons*. 2011;15:355-360.
47. Reynolds D, Davenport DL, Korosee RL, et al. Financial implications of ventral hernia repair: A hospital cost analysis. *J Gastroinest Surg*. 2013;17(1):159-66.
48. Bell RC, Fearon J, Freeman, K. Allograft dermal matrix hiatoplasty during laparoscopic primary fundoplication, paraesophageal hernia repair, and reoperation for failed hiatal hernia repair. *Surg Endosc*. 2013;27(6):1997-2004.
49. Fetterolf DE, Snyder RJ. Scientific and Clinical Support for the Use of Dehydrated Amniotic Membrane in Wound Management. *Wounds*. 2012; 24:299-307.
50. Holmes C, Wrobel JS, Maceahem MP, et al. Collagen-based wound dressings for the treatment of

diabetes-related foot ulcers: a systematic review. *Diabetes Metab Syndr Obes.* 2013;6:17-29.

51. Kavros S, Dutra T, Gonzalez-Cruz R, et al. The Use of PriMatrix, a Fetal Bovine Acellular Dermal Matrix, in Healing Chronic Diabetic Foot Ulcers: A Prospective Multicenter Study. *Advances in Skin & Wound Healing.* 2014.
52. Crenshaw SA, Roller MD, Chapman JK, et al. Immediate breast reconstruction with a saline implant and AlloDerm, following removal of a Phyllodes tumor. *World J Surg Oncol.* 2011;9:34.
53. Brooke S, Mesa J, Uluer M, et al. Complications in tissue expander breast reconstruction: A comparison of AlloDerm, DermaMatrix, and Flex-HD acellular inferior pole dermal slings. *Ann Plastic Surg.* 2012;69:347-49.
54. Seth A, et al. Utility of acellular dermis–assisted breast reconstruction in the setting of radiation: A comparative analysis. *Plastic Reconstr Surg.* 2012;130:750-58.
55. Venturi ML, Mesbahi AN, Boehmler Jh 4th, et al. Evaluating sterile human acellular dermal matrix in immediate expander-based breast reconstruction: A multi-center prospective cohort study. *Plastic Reconstr Surg.* 2013;131:9e-18e.
56. Chauviere MV, Schutter RJ, Steigleman MB, et al. Comparison of AlloDerm and AlloMax tissue incorporation in rats. *Ann Plast Surg.* 2013 May 2. [Epub ahead of print]
57. Zelen CM, Serena TE, Snyder RJ. A prospective, randomized comparative study of weekly versus biweekly application of dehydrated human amnion/chorion membrane allograft in the management of diabetic foot ulcers. *Int Wound J.* 2014;11(2):122-128.
58. Koob TJ, Lim JJ, Zabek N, et al. Cytokines in single layer amnion allografts compared to multilayer amnion/chorion allografts for wound healing. *J Biomed Mater Res.* E-pub ahead of print.
59. Serena TE, Carter MJ, Le LT, Sabo MJ, DiMarco DT, EpiFix VLU Study Group. A multicenter, randomized, controlled clinical trial evaluating the use of dehydrated human amnion/chorion membrane allografts and multilayer compression therapy vs. multilayer compression therapy alone in the treatment of venous leg ulcers. *Wound Rep Reg.* 2014;22(6):688-98.
60. Schallenberg M, Westekemper H, Steuhl Kp, et al. Amniotic membrane transplantation ineffective as additional therapy in patients with aggressive Mooren's ulcer. *BMC Ophthalmology.* 2013, 3:81.
61. Meller D, Pauklin M, Thomasen H, et al. Amniotic membrane transplantation in the human eye. *Dtsch Arztebl Int.* Apr 2011;108(14):243-248.
62. Malhotra C. and Jain A. Human amniotic membrane transplantation: Different modalities of its use in ophthalmology. *World J Transplant.* 2014;4(2):111-121.
63. Clare G, Suleman H, Bunce C, et al. Amniotic membrane transplantation for acute ocular burns. *Cochrane Review.* 2013 The Cochrane Collaboration.
64. Regulski M, Jacobstein DA, Petranto RD, et al. A retrospective analysis of a human cellular repair matrix for the treatment of chronic wounds. *Ostomy Wound Manage.* 2013; 59(12):38-43.
65. Lavery LA, Fulmer J, Shebetka KA, et al. The efficacy and safety of Grafix® for the treatment of chronic diabetic foot ulcers: results of a multi-centre, controlled, randomized, blinded, clinical trial. *Int Wound J.* 2014;11:554–560.
66. Kavros SJ, Dutra T, Gonzalez-Cruz R, et al. The use of PriMatrix, a fetal bovine acellular dermal matrix, in healing chronic diabetic foot ulcers: a prospective multicenter study. *Adv Skin Wound*

Care. 2014;27(8):356-362.

67. Prendes B, Yung K, Likhterov I, Schneider S, Al-Jurf S, Courey M. Long-term effects of injection laryngoplasty with a temporary agent on voice quality and vocal fold position. *Laryngoscope*. 2012;122(10):2227-2233.
68. Lavery LA, Fulmer J, Shebetka KA, et al. The efficacy and safety of Graftax® for the treatment of chronic diabetic foot ulcers: results of a multi-centre, controlled, randomized, blinded, clinical trial. *Int Wound J*. 2014;11:554–560.
69. Caravaggi C, Grigoletto F, Scuderi N. Wound Bed Preparation With a Dermal Substitute (Hyalomatrix® PA) Facilitates Re-epithelialization and Healing: Results of a Multicenter, Prospective, Observational Study on Complex Chronic Ulcers (The FAST Study). 2011;23(8):228-235.
70. Motolese A, Vignati F, Brambilla R, et al. Interaction between a Regenerative Matrix and Wound Bed in Nonhealing Ulcers: Results with 16 Cases. 2013:1-5.
71. Vaienti L, Marchesi A, Palitta G, et al. Limb trauma: the use of an advanced wound care device in the treatment of full-thickness wounds. 2013;8:111-115.
72. Driver VR, Lavery LA, Reyzelman AM, et al. A clinical trial of Integra Template for diabetic foot ulcer treatment. *Wound Repair Regen*. 2015;23(6):891-900.
73. Cazzell S, Lange D, Dickerson J, Slade H. The Management of Diabetic Foot Ulcers with Porcine Small Intestine Submucosa Tri-Layer Matrix: A Randomized Controlled Trial. *Advances In Wound Care*. 2015;4(12):711-718.
74. Deeken C, Melman L, Jenkins E, Greco S, Frisella M, Matthews B. Histologic and biomechanical evaluation of crosslinked and non-crosslinked biologic meshes in a porcine model of ventral incisional hernia repair. *Journal of The American College Of Surgeons*. 2011;212(5):880-888.
75. Melman L, Jenkins E, Matthews B, et al. Early biocompatibility of crosslinked and non-crosslinked biologic meshes in a porcine model of ventral hernia repair. *Hernia: The Journal of Hernias And Abdominal Wall Surgery*. 2011;15(2):157-164.
76. Shitrit SB, Ramon Y, Bertasi G. Use of a novel acellular dermal matrix allograft to treat complex trauma wound: A case study. *Int J Burns Trauma*. 2014;4(2):62-65.
77. Bullocks JM. DermACELL: A novel and biocompatible acellular dermal matrix in tissue expander and implant-based breast reconstruction. *Eur J Plast Surg*. 2014;37(10):529-538.