

References

X-54

1. ACCF/SCCT/ACR/AHA/ASE/ASNC/NASCI/SCAI/SCMR 2010 Appropriate Use Criteria for Cardiac Computed Tomography: A Report of the American College of Cardiology Foundation Appropriate Use Criteria Task Force, the Society of Cardiovascular Computed Tomography, the American College of Radiology, the American Heart Association, the American Society of Echocardiography, the American Society of Nuclear Cardiology, the North American Society for Cardiovascular Imaging, the Society for Cardiovascular Angiography and Interventions, and the Society for Cardiovascular Magnetic Resonance. *Journal of the American College of Cardiology*, 56, 1864-1894; doi:10.1016/j.jacc.2010.07.005.
2. ACC/AHA/AATS/PCNA/SCAI/STS 2014 Focused Update of the Guideline for the Diagnosis and Management of Patients With Stable Ischemic Heart Disease A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines, and the American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. *Journal of the American College of Cardiology*, 2014, 7, doi:10.1016/j.jacc.2014.07.017.
3. ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 Expert Consensus Document on Coronary Computed Tomographic Angiography. A report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents. American College of Cardiology Foundation Representative; American Society of Nuclear Cardiology Representative; Society of Cardiovascular Computed Tomography Representative; Society of Atherosclerosis Imaging and Prevention Representative; American College of Radiology Representative; American Heart Association Representative; North American Society for Cardiovascular Imaging Representative; Society for Cardiovascular Angiography and Interventions Representative. *Journal of the American College of Cardiology*. doi:10.1016/j.jacc.2009.11.013.
4. ACCF/AHA/ASE/ASNC/HFSA/HRS/SCAI/SCCT/SCMR/STS 2013 Multimodality Appropriate Use Criteria for the Detection and Risk Assessment of Stable Ischemic Heart Disease A Report of the American College of Cardiology Foundation Appropriate Use Criteria Task Force, American Heart Association, American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Failure Society of America, Heart Rhythm Society, Society for Cardiovascular Angiography and Interventions, Society of Cardiovascular Computed Tomography, Society for Cardiovascular Magnetic Resonance, and Society of Thoracic Surgeons. *Journal of the American College of Cardiology*, 2014, 63(4), 380-406. doi:10.1016/j.jacc.2013.11.009.
5. Datta, J., White, C.S., Gikleson, R.C., Meyer, C.A., Kansal, S., Jani, M.L., . . . Read K. (2005, June). Anomalous coronary arteries in adults: Depiction at multi-detector row CT angiography. *Radiology*, 235, 812-818.
6. Douglas, P.S., Hoffman, U., Patel, M.R., Mark, D.B., Al-Khalidi, H.R., Cavanaugh, B. . . . PROMISE Investigators. (2015, Apr). Outcomes of anatomical versus functional testing form coronary artery disease. *New England Journal of Medicine*. 372(14), 1291-1300. doi: 10.1056/NEJMoa1415516. Epub 2015 Mar 14.
7. Einstein, A. (2012). Effects of radiation exposure from cardiac imaging: how good are the data? *Journal of the American College of Cardiology*, 59(6), 553-565.
8. Fordyce CB, Newby DE, Douglas PS. (2016) Diagnostic Strategies for the Evaluation of Chest Pain: Clinical Implications From SCOT-HEART and PROMISE. *J Am Coll Cardiol*. 67(7):843-852. doi:10.1016/j.jacc.2015.11.055.

9. Gerber TC, Manning WJ Summary of indications for CCTA, Up-to-Date.
10. Hoffmann, U., Truong, Q.A., Schoenfeld, D.A., Chou, E.T, Woodard, P.K., Nagurney, J.T., . . . Udelson, J.E. (2012, July). Coronary CT Angiography versus Standard Evaluation in Acute Chest Pain. *N Engl J Med.* 367, 299-308.
11. Nicol, E.D., Stirrup, J., Reyes, E., Roughton, M., Padley, S.P., Rubens, M.B., . . . Underwood, S.R. (2008, May). Sixty-four-slice computed tomography coronary angiography compared with myocardial perfusion scintigraphy for the diagnosis of functionally significant coronary stenoses in patients with a low to intermediate likelihood of coronary artery disease. *Journal of Nuclear Cardiology*, 15(3), 311–318.
12. Oberweis, B.S. & Taylor, A.J. (2015, Jul). The PROMISE Trail: The CTA Perspective. *Journal of the American College of Cardiology*.
13. Otto CM., Kumbhani DJ., Alexander KP., Calhoun JH., Desai MY., Kaul S., Lee JC., et al. (2017) 2017 ACC Expert Consensus Decision Pathway for Transcatheter Aortic Valve Replacement in the Management of Adults with Aortic Stenosis. A Report of the American College of Cardiology Task Force on Clinical Expert Consensus Documents. DOI: 10.1016/j.jacc.2016.12.006.
14. Scott-Moncrieff, A., Yang, J., Levine, D., Taylor, C., Tso, D., Johnson, M., . . . Leipsic, J. (2011). Real-world estimated effective radiation doses from commonly used cardiac testing and procedural modalities. *The Canadian Journal of Cardiology*, 27(5), 613-618.
15. The SCOT-Heart investigators (2015) CT coronary angiography in patients with suspected angina due to coronary heart disease (SCOT-HEART): an open-label, parallel-group, multicentre trial. *Lancet.* 2015;385:2383-2391.

CCTA in the ER

1. Ropp A., Lin C.T., White C.S. (2015) Coronary computed tomography angiography for the assessment of acute chest pain in the emergency department: evidence, guidelines, and tips for implementation. *J Thorac Imaging.* May; 30(3):169-75.
2. Rybicki, F.J., Udelson, J.E., Peacock, W.F., Goldhaber, S.Z., Isselbacher, E.M., Kazerooni, E., ... Woodard, P. K. (2015).
3. ACR/ACC/AHA/AATS/ACEP/ASNC/NASCI/SAEM/SCCT/SCMR/SCPC/SNMMI/STR/STS Appropriate Utilization of Cardiovascular Imaging in Emergency Department Patients With Chest Pain: A Joint Document of the American College of Radiology Appropriateness Criteria Committee and the American College of Cardiology Appropriate Use Criteria Task Force. *Journal of the American College of Cardiology* (2015) 67(7), 853-879. DOI: 10.1016/j.jacc.2015.09.011.
4. Nieman K., Hoffmann U. (2015) Cardiac CT in Patients with Acute Chest Pain – Points to Remember. *Am Coll Cardiol.* DOI: <http://dx.doi.org/10.1093/eurheartj/ehv034>.

Calcium Scoring

1. Greenland P, Alpert JS, Beller GA, Benjamin EJ., Budoff, MJ., Fayad ZA.. ...et al. (2010) ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines Developed in Collaboration With the American Society of Echocardiography, American Society of Nuclear Cardiology, Society of Atherosclerosis Imaging and Prevention, Society for Cardiovascular Angiography and Interventions, Society of

Cardiovascular Computed Tomography, and Society for Cardiovascular Magnetic Resonance. *J Am Coll Cardiol.* 56(25):2182-2199. doi:10.1016/j.jacc.2010.09.002.

2. Sanz J. (2015) Coronary Calcium Score and the New Guidelines Back to Square One? *J Am Coll Cardiol.* 2015;66(15):1669-1671. doi:10.1016/j.jacc.2015.08.041.
3. Loyd-Jones DM. (2015) Coronary Artery Calcium Scoring. *J Am Coll Cardiol.* 2015;66(15):1654-1656. doi:10.1016/j.jacc.2015.08.031.

Reference for Kawasaki Disease

1. Newburger JW., Takahashi M., Burns JC. (2016) Kawasaki Disease, *J Am Coll Cardiol.* 2016;67(14):1738-1749.

Fractional Flow Reserve CT

1. A Arbab-Zadeh, JM Miller, CE Rochitte, et al. Diagnostic Accuracy of Computed Tomography Coronary Angiography According to Pre-Test Probability of Coronary Artery Disease and Severity of Coronary Arterial Calcification: The CorE-64 International, Multicenter Study. doi: 10.1016/j.jacc.2011.06.079.
2. BL Nørgaard, J Hjort, S Gaur, et al. Clinical Use of Coronary CTA-Derived FFR for Decision-Making in Stable CAD. *JACC Cardiovascular Imaging*, Vol 10, No5, 2017, p 5451-550.
3. BL Nørgaard, J Leipsic, S Gaur, et al. Diagnostic performance of noninvasive fractional flow reserve derived from coronary computed tomography angiography in suspected coronary artery disease: the NXT trial (Analysis of Coronary Blood Flow Using CT Angiography: Next Steps). *J Am Coll Cardiol.* Apr 1 2014; 63(12):1145-1155. PMID 24486266.
4. BL Nørgaard, S Gaur, J Leipsic, et al. Influence of coronary calcification on the diagnostic performance of CT angiography derived FFR in coronary artery disease: a substudy of the NXT Trial. *JACC Cardiovasc Imaging.* Sep 2015; 8(9):1045-1055.
5. CA Taylor, TA Fonte, JK Min. Computational fluid dynamics applied to cardiac computed tomography for noninvasive quantification of fractional flow reserve: scientific basis. *J Am Coll Cardiol.* Jun 4 2013; 61(22):2233- 2241. doi: 10.1016/j.jacc.2012.11.083.
6. D Newby, M Williams, A Hunter, (SCOT-Heart Investigators) et al. CT coronary angiography in patients with suspected angina due to coronary heart disease (SCOT-HEART): an open-label, parallel-group, multicentre trial. *The Lancet.* Volume 385, No. 9985, p2383–2391, 13 June 2015. DOI: [http://dx.doi.org/10.1016/S0140-6736\(15\)60291-4](http://dx.doi.org/10.1016/S0140-6736(15)60291-4).
7. De Bruyne B, Fearon WF, Pijls NH. et al. Fractional flow reserve-guided PCI for stable coronary artery disease. *N Engl J Med.* Sep 25 2014; 371(13):1208-1217. DOI: 10.1056/NEJMoa1408758.
8. DT Linker. Decision-Support Tool to Calculate Pre- and Post-Test Probabilities of Coronary Artery Disease with Cardiac Functional Tests.
9. E Hulten, C Pickett, MS Bittencourt, et al. Outcomes after Coronary Computed Tomography Angiography in the Emergency Department. Systematic Review and Meta-Analysis of Randomized, Controlled Trials. *JACC.* Vol. 61, No. 8, 2013 p 880-892.
10. E Hulten, MF Di Carli. FFRCT: Solid PLATFORM or thin ice? *J Am Coll Cardiol.* Dec 1 2015; 66(21):2324-2328. PMID 26475206.

11. IM Graham. Diagnosing coronary artery disease—the Diamond and Forrester model revisited. *Eur Heart J*. 2011 Jun;32(11):1311-2. doi: 10.1093/eurheartj/ehr015. Epub 2011 Mar 11.
12. JK Min, J Leipsic, MJ Pencina, et al. Diagnostic Accuracy of Fractional Flow Reserve From Anatomic CT Angiography. *JAMA*. Sep 26 2012; 308(12):1237-1245.
13. JK. Min. Look Backwards But Live Forwards. *JACC Cardiovasc Imaging*. 2017 May;10(5):551-553. doi:10.1016/j.jcmg.2015.12.014.
14. M Dewey, M Rief, P Martus, et al. Evaluation of computed tomography in patients with atypical angina or chest pain clinically referred for invasive coronary angiography: randomised controlled trial. *BMJ* 2016; 355.
15. MA Hlatky, DeBruyne, G Pontone, et al. Quality-of-Life and Economic Outcomes of Assessing Fractional Flow Reserve with Computed Tomography Angiography: PLATFORM. *J Am Coll Cardiol*. 2015 Dec 1;66(21):2315-23. doi:10.1016/j.jacc.2015.09.051. Epub 2015 Oct 14.
16. MR Patel, JH Calhoun, GJ Dehmer, et al. ACC/AATS/AHA/ASE/ASNC/SCAI/SCCT/STS 2017 Appropriate Use Criteria for coronary revascularization in patients with stable ischemic heart disease: a report of the American College of Cardiology Appropriate Use Criteria Task Force, American Association for Thoracic Surgery, American Heart Association, American Society of Echocardiography, American Society of Nuclear Cardiology, Society for Cardiovascular Angiography and Interventions, Society of Cardiovascular Computed Tomography, and Society of Thoracic Surgeons. *J Am Coll Cardiol*. May 02 2017; 69(17):2212-2241. DOI: 10.1016/j.jacc.2017.02.001.
17. MS Bittencourt, E Hulten, TS Polonsky, et al. European Society of Cardiology Recommended CAD Consortium Pre-Test Probability Scores More Accurately Predict Obstructive Coronary Disease and Cardiovascular Events Than the Diamond and Forrester Score: The Partners Registry. *Circulation*. 2016 Jul 19;134(3):201-11. doi: 10.1161/CIRCULATIONAHA.116.023396. Epub 2016 Jul 13.
18. MT Lu, M Ferencik, RS Roberts, et al. Noninvasive FFR Derived From Coronary CT Angiography: Management and Outcomes in the PROMISE Trial. *JACC Cardiovasc Imaging*. 2017 Apr 7. pii: S1936-878X(17)30262-0. doi: 10.1016/j.jcmg.2016.11.024.
19. National Institute for Health and Care Excellence. HeartFlow FFRCT for estimating fractional flow reserve from coronary CT angiography.
20. NP Johnson, DT Johnson, RL Kirkeeide, et al. Repeatability of fractional flow reserve despite variations in systemic and coronary hemodynamics. *JACC Cardiovasc Interv*. Jul 2015; 8(8):1018-1027. PMID 26205441 doi: 10.1016/j.jcin.2015.01.039.
21. PS Douglas, B DeBruyne, G Pontone, et al. 1-Year Outcomes of FFRCT-Guided Care in Patients with Suspected Coronary Disease: The PLATFORM Study. *J Am Coll Cardiol*. 2016 Aug 2;68(5):435-45. doi: 10.1016/j.jacc.2016.05.057.
22. PS Douglas, G Pontone, MA Hlatky, et al. Clinical outcomes of fractional flow reserve by computed tomographic angiography-guided diagnostic strategies vs. usual card in patients with suspected coronary artery disease: the prospective longitudinal trial of FFR (CT): outcome and resource impacts study. *Eur Heart J*. 2015 Dec 14;36(47):3359-67. doi:10.1093/eurheartj/ehv444. Epub 2015 Sep 1.

23. R Detrano, J Yiannikas, EE Salcedo. Et al. Bayesian probability analysis: a prospective demonstration of its clinical utility in diagnosing coronary disease. *Circulation*. 1984 Mar;69(3):541-7.
24. RK Munnur, JD Cameron, BS Ko. et al. Cardiac CT: atherosclerosis to acute coronary syndrome. *Cardiovascular Diagnosis and Therapy*, Dec, 2014, 4(5):430-448. doi: 10.3978/j.issn.2223-3652.2014.11.03.
25. S Gaur, CA Taylor, JM Jensen, et al. FFR Derived From Coronary CT Angiography in Nonculprit Lesions of Patients With Recent ST-segment elevation myocardial infarction. *JACC*. VOL. 10, NO. 4, 2017 p 424-433 DOI: 10.1016/j.jcmg.2016.05.019.
26. S Gaur, HG Bezerra, JF Lassen, et al. Fractional flow reserve derived from coronary CT angiography: variation of repeated analyses. *J Cardiovasc Comput Tomogr*. Jul-Aug 2014; 8(4):307-314. PMID 25151923 DOI: 10.1016/j.jcct.2014.07.002.
27. S Packard, RP. Karlsberg. Integrating FFRCT into Routine Clinical Practice: A Solid PLATFORM or Slippery Slope? *J Am Coll Cardiol*. 2016 Aug 2;68(5):446-9. doi: 10.1016/j.jacc.2016.05.056.
28. SD Fihn, JM Gardin, J Abrams, et al. 2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. *J Am Coll Cardiol*. Dec 18 2012; 60(24):e44-e164. DOI: 10.1016/j.jacc.2012.07.013.
29. TM Labounty, BK Nallamothu. FFR (CT): a new technology in search of a clinical application. *Eur Heart J*. 2015 Dec 14;36(47):3368-9. doi: 10.1093/eurheartj/ehv534. Epub 2015 Oct 7.
30. TSS Genders, EW Steyerberg, MGM Hunink, et al. Prediction model to estimate presence of coronary artery disease: retrospective pooled analysis of exiting cohorts. *BMJ*. 2012; 344. Published 12 June 2012.
31. Van Nunen LX, Zimmermann FM, Tonino PA. et al. Fractional flow reserve versus angiography for guidance of PCI in patients with multivessel coronary artery disease (FAME): 5-year follow-up of a randomised controlled trial. *Lancet*. Nov 7 2015; 386(10006):1853-1860.